

CLAIMS

- 1 1. A ceiling hanger system comprising:
2 an anchor;
3 a hanger wire mounted to the anchor;
4 a spring clip mounted to the hanger wire; and
5 a hanger hook mounted to the spring clip.

- 1 2. The ceiling hanger system of claims 1, wherein the hanger wire
2 comprises a body having a first end and a second end and a head positioned on
3 the first end.

- 1 3. The ceiling hanger system of claims 2, wherein the head of the
2 hanger wire has a T-shape.

- 1 4. The ceiling hanger system of claim 1, wherein the head of the
2 hanger wire has a shape selected from the group consisting of: a T-shape, a
3 rosette, a square, triangle and a D-form.

- 1 5. The ceiling hanger system of claim 2, wherein the body of the
2 hanger wire is bent at an angle between 0° and 90°.

- 1 6. The ceiling hanger system of claim 1, wherein the anchor
2 comprises a body, the body defining an opening.

1 7. The ceiling hanger system of claim 6, wherein the opening
2 defined in the body has an upper portion and a lower portion.

1 8. The ceiling hanger system of claim 7, wherein the upper portion
2 has a width that is greater than the width of the lower portion.

1 9. The ceiling hanger system of claim 1, wherein the anchor
2 comprises a lag screw.

1 10. The ceiling hanger system of claim 1, wherein the anchor is
2 selected from the group consisting of: a headed eye lag screw, a standard eye
3 lag wood screw, an angel clip, a c-pearlin, clip, a bar joist clip and a Z-perlin
4 clip.

1 11. The ceiling hanger system of claim 1, wherein the spring clip
2 includes a resilient body having a first and second aperture defined therein, the
3 first and second aperture each having a notch.

1 12. The ceiling hanger system of claim 1, wherein the hanger hook
2 has a first end and a second end, the first end having a support hook operable to
3 engage the spring clip, the second end having a double hook.

1 13. The ceiling hanger system of claim 12, wherein the double hook
2 includes a first curved portion, a second curved portion and a third curved
3 portion.

1 14. The ceiling hanger system of claim 1, wherein the hanger hook
2 comprises a body having a curved portion including a head.

1 15. The ceil hanger system of claim 1, wherein the hanger hook
2 includes a body having a pair of opposed clamp arms.

1 16. A ceiling hanger system comprising:
2 an anchor and
3 a hanger wire mounted to the anchor, the hanger wire comprising a
4 body having a head.

1 17. The ceiling hanger system of claim 16, further comprising a
2 spring clip mounted to the hanger wire and a hanger hook mounted to the
3 spring clip.

1 18. The ceiling hanger system of claims 16, wherein the head of the
2 hanger wire has a T-shape.

1 19. The ceiling hanger system of claim 17, wherein the spring clip
2 includes a resilient body having an aperture defined therein, the aperture
3 having a notch.

1 20. A ceiling hanger system comprising:
2 an anchor;
3 a hanger wire mounted to the anchor, the hanger wire including a body
4 having a head; and
5 a spring clip mounted to the hanger wire, the spring clip having a
6 resilient body including an aperture defined therein, the aperture having a
7 notch.